

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars	
1	Particulars of the Occupier	:
	(i) Name of the authorised person (occupier or operator of facility)	: Dr. R.K. Suri
	(ii) Name of HCF or CBMWTF	: Triveni Nursing Home
	(iii) Address for Correspondence	: 8-c/c, Gandhi Nagar, Jammu
	(iv) Address of Facility	: 8-c/c, Gandhi Nagar, Jammu
	(v) Tel. No, Fax. No	: 0191-2452664, 2454939
	(vi) E-mail ID	: triveninursinghome92@gmail.com
	(vii) URL of Website	: www.triveninursinghome.in
	(viii) GPS coordinates of HCF or CBMWTF	:
	(ix) Ownership of HCF or CBMWTF	: (State Government or Private or Semi Govt. or any other) ✓
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	: Authorisation No.: 04 of 2020 dt. 10/01/2020 valid up to Nov. 2021
	(xi). Status of Consents under Water Act and Air Act	: Valid up to:
2	Type of Health Care Facility	:
	(i) Bedded Hospital :	: No. of Beds.... 20
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:
	(iii) License number and its date of expiry	:
3	Details of CBMWTF :	:
	(i) Number healthcare facilities covered by CBMWTF	: 01
	(ii) No of beds covered by CBMWTF	: 20
	(iii) Installed treatment and disposal capacity of CBMWTF	: 3.20 Kg per day
	(iv) Quantity of biomedical waste treated or	: Kg/day

	disposed by CBMWTF																																																		
4	Quantity of waste generated or disposed in Kg per annum (on monthly average basis) = (97.41kg) Per Annum Total = 1168.99kg.	:	Yellow Category : 64.62 kg Red Category : 946.22 kg White: 3.3 kg Blue Category : 154.85 kg. General Solid waste:																																																
5	Details of the Storage, treatment, transportation, processing and Disposal Facility																																																		
	(i) Details of the on-site storage facility	:	Size : 3' x 8' FT Capacity : 120 kg Provision of on-site storage : (cold storage or any other provision)																																																
	(ii) Details of the treatment or disposal facilities	:	<table border="1"> <thead> <tr> <th>Type of treatment equipment</th> <th>No of units</th> <th>Capacity Kg/day</th> <th>Quantity Treated or disposed in kg per annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Plasma Pyrolysis</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Autoclaves</td> <td>01</td> <td>-</td> <td>-</td> </tr> <tr> <td>Microwave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Hydroclave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Shredder</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td>05</td> <td>-</td> <td>-</td> </tr> <tr> <td>Sharps encapsulation or concrete pit</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Deep burial pit:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Chemical disinfection</td> <td>01</td> <td>-</td> <td>-</td> </tr> <tr> <td>Any other treatment equipment</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Type of treatment equipment	No of units	Capacity Kg/day	Quantity Treated or disposed in kg per annum	Incinerators				Plasma Pyrolysis				Autoclaves	01	-	-	Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer	05	-	-	Sharps encapsulation or concrete pit				Deep burial pit:				Chemical disinfection	01	-	-	Any other treatment equipment			
Type of treatment equipment	No of units	Capacity Kg/day	Quantity Treated or disposed in kg per annum																																																
Incinerators																																																			
Plasma Pyrolysis																																																			
Autoclaves	01	-	-																																																
Microwave																																																			
Hydroclave																																																			
Shredder																																																			
Needle tip cutter or destroyer	05	-	-																																																
Sharps encapsulation or concrete pit																																																			
Deep burial pit:																																																			
Chemical disinfection	01	-	-																																																
Any other treatment equipment																																																			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.)																																																

	(iv) No of vehicles used for collection and transportation of biomedical waste			
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	:	Quantity generated	Where disposed
			Incineration Ash	N/A
			ETP Sludge	32.200 kg Manure
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	M/s. Anmol Health Care	
	(vii) List of member HCF not handed over bio-medical waste.	:	-	
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		Yes	
7	Details trainings conducted on BMW			
	(i) Number of trainings conducted on BMW Management.		02	
	(ii) number of personnel trained		03	
	(iii) number of personnel trained at the time of induction		-	
	(iv) number of personnel not undergone any training so far		-	
	(v) whether standard manual for training is available?		Yes	
	(vi) any other information		NA.	
8	Details of the accident occurred during the year			
	(i) Number of Accidents occurred		NA	
	(ii) Number of the persons affected		NA	
	(iii) Remedial Action taken (Please attach details if any)		NIL	
	(iv) Any Fatality occurred, details.		NIL	
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not me the standards?		N/A.	
	Details of Continuous online emission		N/A.	

	monitoring systems installed	STP/ETP.
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	-
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	-
12	Any other relevant information	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from

JAN-2021 to Dec-2021

Date: 03-08-2022
Place Jammu

Raj Kumar Suri
Name and Signature of the Head of the Institution
Dr. R.K. Suri
(Director)
Triveni Nursing Home
8-C/C, Gandhi Nagar, Jammu.